


**THE BEST SELLER
SINCE 1984
STRONG BY NATURE**





STANDARD

TECHNICAL SPECIFICATIONS



1



The drawers and the full (telescopic) extension shelves are supplied in two versions:

- **normal extension** equal to 87% with load capacities ranging from 60 to 100 Kg depending on the version. The drawers are supplied with 4 high-resistant bearings to constantly ensure smooth sliding.
- 100% full **telescopic extension** with load capacities ranging from 150 to 200 Kg depending on the version. The drawers are supplied with 8 high-resistant bearings to constantly ensure smooth sliding.



2

A MDF worktop with oil-resistant rubber covering can be applied to the STANDARD series cabinets. This worktop is supplied with the same dimensions of the cabinet and can be easily joined to other worktops to create a single surface. (see example)

MDF SHELF APPLICATION



3



The locking system also prevents the workstation from tilting when a drawer or shelf is pulled out. The rear hook of the drawer or shelf, in fact, turns the rear bar (A) to its closed position. This makes it impossible for the operator to pull out other drawers or shelves at the same time, thereby preventing too much weight being transferred externally. Once the drawer is closed again, the rod returns to the opening position thereby allowing another drawer to be opened.



CYLINDER LOCK

Supplied standard with cylinder lock and two keys.

4



STANDARD 564x726 mm



- **ART. F DD 1070 52 04**
H = 800 mm – 6 drawers

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



NORMAL EXTENSION 87% = 60/100 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys



PARTITIONING MATERIAL SEE PAGE 311/379



DRAWER PRE-SETTING KIT SEE PAGE 312



CONFIGURE YOUR CABINET FROM PAGE 307

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 600 mm



*maximum capacity 80 kg

ART.					
F DD 1050 52 04		100	87%	key	

H 600 mm



*maximum capacity 60 kg **maximum capacity 80 kg

ART.					
F DD 1050 53 04		100	87%	key	

H 700 mm



*maximum capacity 80 kg

ART.					
F DD 1060 51 04		100	87%	key	

H 700 mm



door 425 mm

*maximum capacity 70 kg

ART.					
F DD 1160 51 04		80	87%	key	

H 800 mm



ART.					
F DD 1070 55 04		100	87%	key	

H 800 mm



*maximum capacity 60 kg

ART.					
F DD 1070 51 04		100	87%	key	

STANDARD

564x726 mm

H 800 mm



*maximum capacity 80 kg

ART.					
F DD 1070 52 04		100	87%	key	

H 800 mm



*maximum capacity 70 kg

ART.					
F DD 1170 51 04		100	87%	key	

door 425 mm

H 850 mm



*maximum capacity 60 kg

ART.					
F DD 1075 51 04		100	87%	key	

H 850 mm



*maximum capacity 80 kg

ART.					
F DD 1075 52 04		100	87%	key	

H 850 mm



*maximum capacity 80 kg

ART.					
F DD 1075 53 04		100	87%	key	

H 850 mm



*maximum capacity 60 kg **maximum capacity 70 kg

ART.					
F DD 1175 51 04		100	87%	key	

door 425 mm

H 1000 mm



*maximum capacity 80 kg

ART.					
F DD 1090 52 04		100	87%	key	

H 1000 mm



door 575 mm

*maximum capacity 60 kg **capacity piani 70 kg

ART.					
F DD 1290 51 04		100	87%	key	



ART. F DD ZA01 00 EF

Dim. 1695x726x1030 mm h
Ral 7000+7035. Example including:
3 cabinets with drawers, doors, adjustable
shelves, retractable shelves, rubber cover
MDF tops. Tools and partitioning material
not included.

STANDARD

575x815 mm

H 797 mm



ART.				
F DD E550 01 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 667 mm

H 797 mm



ART.				
F DD E550 02 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 667 mm

*maximum capacity 80 kg

H 897 mm



ART.				
F DD E560 01 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 767 mm

*maximum capacity 80 kg

H 897 mm



ART.				
F DD E560 02 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 767 mm

*maximum capacity 60 kg **maximum capacity 80 kg



2 nylon fixed wheels Ø 100 mm
2 nylon swivel wheels with brake Ø 100 mm

H 997 mm



*maximum capacity 60 kg

ART.				
F DD E570 01 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 867 mm

H 997 mm



*maximum capacity 80 kg

ART.				
F DD E570 02 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 867 mm

H 1047 mm



*maximum capacity 60 kg

ART.				
F DD E575 01 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 917 mm

H 1047 mm



*maximum capacity 80 kg

ART.				
F DD E575 02 04		100	87%	key

Cabinet capacity 310 kg - Cabinet height without wheels 917 mm



2 nylon fixed wheels Ø 100 mm
2 nylon swivel wheels with brake Ø 100 mm

STANDARD

575x815 mm

H 1197 mm

6 drawers

75*
75*
100
150
200
300



*maximum capacity 80 kg

ART.					
F DD E590 01 04		100	87%	key	

Cabinet capacity 310 kg - Cabinet height without wheels 1067 mm

H 1197 mm

7 drawers

100
100
100
100
150
150
200



ART.					
F DD E590 02 04		100	87%	key	

Cabinet capacity 310 kg - Cabinet height without wheels 1067 mm



2 nylon fixed wheels Ø 100 mm
2 nylon swivel wheels with brake Ø 100 mm



Steel vice 130 mm
Colour blue

ART. F BL 1020 00 00

Workstation
dim. 2000x800x840 mm h Ral 7035.
Including 2 legs.
40 mm thick multiplex worktop.

ART. F BI A370 01 08



ART. F DD E550 S1 08

Cabinet with wheels
dim. 575x815x797 mm h Ral 7035.
Including 4 drawers with single lock,
3 security shelves between drawers.

ART. F DD E030 02 08

Cabinet with wheels
dim. 575x815x772 mm h
Ral 7035. Including 3 drawers.
Partitioning material not included.

STANDARD 564x726 mm

CONFIGURE YOUR CABINET



EMPTY CABINET

ART.		dim. mm	useful H mm	kg	
F DD 1050 00 04		564x726x600 H	500	3100	
F DD 1060 00 04		564x726x700 H	600	3100	
F DD 1070 00 04		564x726x800 H	700	3100	
F DD 1075 00 04		564x726x850 H	750	3100	
F DD 1090 00 04		564x726x1000 H	900	3100	



COVER TOPS SEE PAGE 309



EMPTY CABINET PRE-SET FOR WHEELS

ART.		dim. mm	useful H mm	
F DD 0550 00 04		575x815x667 H	500	
F DD 0560 00 04		575x815x767 H	600	
F DD 0570 00 04		575x815x867 H	700	
F DD 0575 00 04		575x815x917 H	750	
F DD 0590 00 04		575x815x1067 H	900	



WHEELS SEE PAGE 310

Cabinet prepared for wheels including: wheel plate, 4-edge top shelf coated in PVC, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.



The handles can be mounted facing downwards - reducing the total height by 38 mm.



EMPTY CABINET WITH DOOR - DOOR WITH RIGHT-HAND OPENING

ART.		dim. mm	H door mm	useful H mm	kg	
F DD 1260 D0 04		564x726x700 H	600	600	3100	


EMPTY CABINET WITH DOOR - DOOR WITH LEFT-HAND OPENING

ART.		dim. mm	H door mm	useful H mm	kg	
F DD 1261 D0 04		564x726x700 H	600	600	3100	



It is not possible to insert the drawers behind the doors

EMPTY CABINET PRE-SET FOR WHEELS



ART.		dim. mm	H door mm (A)	drawers H mm (B)	useful H mm (C)	kg
F DD 1150 00 04		564x726x600 H	400	75	500	3100
F DD 1160 00 04		564x726x700 H	400 425 500	175 150 75	600	3100
F DD 1170 00 04		564x726x800 H	400 425 500 575 600	275 250 175 100 75	700	3100
F DD 1175 00 04		564x726x850 H	400 425 500 575 600	325 300 225 150 125	750	3100
F DD 1190 00 04		564x726x1000 H	400 425 500 575 600	475 450 375 300 275	900	3100

NORMAL EXTENSION DRAWERS



ART.		usable dim. mm	front H mm		kg
F DD 8050 00 04		447x600x36 H	50	87%	60
F DD 8075 00 04		447x600x61 H	75	87%	80
F DD 8100 00 04		447x600x86 H	100	87%	100
F DD 8125 00 04		447x600x111 H	125	87%	100
F DD 8150 00 04		447x600x136 H	150	87%	100
F DD 8200 00 04		447x600x186 H	200	87%	100
F DD 8250 00 04		447x600x236 H	250	87%	100
F DD 8300 00 04		447x600x286 H	300	87%	100




It is not possible to insert the drawers behind the doors




It is mandatory to apply to all drawers inserted in the cabinets with wheels the individual drawer opening device ART. F DD 9400 00 07

NORMAL RETRACTABLE SHELF



ART.		usable dim. mm	side H mm		kg
F DD 8000 00 04		435x630	-	87%	70

ADJUSTABLE SHELF



ART.		usable dim. mm	side H mm	kg
F DD 9100 01 04		500x618	60	70

REVERSIBLE DOOR



ART.	H (A) mm
F DD 9640 01 04	400
F DD 9642 01 04	425
F DD 9645 01 04	500
F DD 9649 01 04	575
F DD 9650 01 04	600

These doors can be installed for either right-hand or left-hand opening




It is not possible to insert the drawers behind the doors



3-EDGE TOP SHELF

ART.	dim. mm
F DD 9150 01 07	564x726x20 H


PVC coated shelf. Black colour



MDF TOP SHELF DIM. 565x726x31,5 mm H

ART.	finishes	for cabinet
F UZ 3200 11 07	1 side profile	RH or LH final

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 565x726x31,5 mm H

ART.	finishes	for cabinet
F UZ 3200 12 07	-	central

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 565x726x31,5 mm H

ART.	finishes	for cabinet
F UZ 3200 13 07	2 side profiles	single

MDF shelf with oil-proof top rubber coating. Black colour



ART. F UZ 9999 00 00

DRILLING OF THE CABINET UPPER SHELF FOR THE MDF SHELF FIXING.



OIL-PROOF
RUBBER
FINISHING



MDF SHELF
APPLICATION



PLINTHS

ART.	H mm
F DD 9300 00 07	50
F DD 9330 00 07	100

Black colour RAL 9005

STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BAC11 100	100	160	128	
C RG BAC12 125	125	235	155	
C RG BAC13 150	150	280	180	


STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DAC11 100	100	160	128	
C RG DAC12 125	125	235	155	
C RG DAC13 150	150	280	180	


NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD10 100	100	310	128	
C RN BAD11 125	125	475	155	


NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD10 100	100	310	128	
C RN DAD11 125	125	475	155	



Other types of wheels
SEE PAGE 33

FIXING

CABINET-TO-CABINET FIXING SET
ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. F AG 9203 00 99

Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET

ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99


2 "HILTI" plugs for concrete floors $\geq$ to classes C20/25
Recommended traction of the plug: 2.9 kN
Plug diameter: Ø 6 mm



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO.

27x36 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 8605 01 00 50 – 300


Set including: 12 partitions 4 grooves, 50 plain partitions 36 mm



ART. for front height mm

F FH 8605 06 00 50 – 300


Set including: 12 partitions 3 grooves, 27 plain partitions 47 mm



ART. for front height mm

F FH 8605 04 00 50 – 300

Set including: 12 partitions 2 grooves, 18 plain partitions 73 mm




ART. for front height mm

F FH 8605 16 00 50

F FH 8607 16 00 75

Set including: 16 plastic boxes with 2 compartments 75x75 mm, 16 plastic boxes 75x75 mm, 4 plastic boxes 150x75 mm, 2 plastic boxes 150x150 mm




ART. for front height mm

F FH 8605 17 00 50

F FH 8607 17 00 75

Set including: 16 plastic boxes 75x75 mm, 8 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm



ART. for front height mm

F FH 8605 08 00 50

F FH 8607 08 00 75


F FH 8610 08 00 100 – 125

F FH 8615 08 00 150

F FH 8620 08 00 200 – 250

F FH 8630 08 00 300

Set including: 2 slotted partitions 610 mm, 3 plain partitions 149 mm



ART. for front height mm

F FH 8605 09 00 50


F FH 8607 09 00 75

F FH 8610 09 00 100 – 125

F FH 8615 09 00 150

F FH 8620 09 00 200 – 250

Set including: 2 slotted partitions 610 mm, 10 plain partitions 149 mm



ART. for front height mm


F FH 8605 10 00 50

F FH 8607 10 00 75

F FH 8610 10 00 100 – 125

F FH 8615 10 00 150

Set including: 3 slotted partitions 610 mm, 6 plain partitions 98 mm, 2 plain partitions 149 mm



ART. for front height mm

F FH 8605 13 00 50

F FH 8607 13 00 75

F FH 8610 13 00 100 – 125


F FH 8615 13 00 150

F FH 8620 13 00 200 – 250

F FH 8630 13 00 300

Set including: 2 plain partitions 610 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 0907 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07

no. 4 F HC 6471 00 07

no. 2 F HC 6871 00 07



no. 1 F HA 1120 00 99

no. 1 F HA 2120 00 99

1 unit = 1 Beta thermoformed tray 367x147 mm

2 unit = 1 Beta thermoformed tray 367x294 mm

EXAMPLES OF TERMOFORMED TRAY USE



STANDARD 717x726 mm



- **ART. F AG 2040 18 04**
H = 1000 mm – 8 drawers

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



NORMAL EXTENSION 87% = 60/100 kg
TELESCOPIC EXTENSION 100% = 200 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys



PARTITIONING MATERIAL SEE PAGE 325/379



DRAWER PRE-SETTING KIT SEE PAGE 326



CONFIGURE YOUR CABINET FROM PAGE 319

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 800 mm



ART.		kg		
F AG 2032 01 04		100	87%	key
F AG 2032 51 04		200	100%	key

* telescopic extension drawer capacity 200 kg

H 800 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG 2032 02 04		100	87%	key
F AG 2032 52 04		200	100%	key

H 850 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG 2034 02 04		100	87%	key
F AG 2034 52 04		200	100%	key

H 850 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG 2034 03 04		100	87%	key
F AG 2034 53 04		200	100%	key

H 1000 mm



ART.		kg		
F AG 2040 01 04		100	87%	key
F AG 2040 51 04		200	100%	key

* telescopic extension drawer capacity 200 kg

H 1000 mm



ART.		kg		
F AG 2040 11 04		100	87%	key
F AG 2040 61 04		200	100%	key

STANDARD

717x726 mm

H 1000 mm



*maximum capacity 80 kg (87%)

ART.				
F AG 2040 12 04		100	87%	key
F AG 2040 53 04		200	100%	key

H 1000 mm



*maximum capacity 80 kg (87%)

ART.				
F AG 2040 18 04		100	87%	key
F AG 2040 68 04		200	100%	key

H 1000 mm



ART.				
F AG 2040 10 04		100	87%	key
F AG 2040 60 04		200	100%	key

H 1000 mm



ART.				
F AG 2040 21 04		80	87%	key
F AG 2040 71 04		200	100%	key

H 1150 mm



*maximum capacity 80 kg (87%)

ART.				
F AG 2046 07 04		100	87%	key
F AG 2046 57 04		200	100%	key

** telescopic extension drawer capacity 200 kg


H 1150 mm



*maximum capacity 80 kg (87%)

ART.				
F AG 2046 08 04		100	87%	key
F AG 2046 58 04		200	100%	key


H 1325 mm



*maximum capacity 80 kg (87%)

ART.				
F AG 2053 08 04		100	87%	key
F AG 2053 58 04		200	100%	key

H 1325 mm




*maximum capacity 80 kg (87%)

ART.				
F AG 2053 03 04		100	87%	key
F AG 2053 53 04		200	100%	key

** telescopic extension drawer capacity 200 kg


STANDARD

717x726 mm




ART.				
F AG 2058 07 04		100	87%	key
F AG 2058 57 04		200	100%	key

* telescopic extension drawer capacity 200 kg



ART.				
F AG 2058 08 04		100	87%	key
F AG 2058 58 04		200	100%	key



*maximum capacity 80 kg (87%)

ART.				
F AG 2065 07 04		100	87%	key
F AG 2065 57 04		200	100%	key



ART. F AG 2040 S2 56

Dim. mm 717x726x1120 H
Cabinet with 9 drawers, 3-edge PVC-coated shelf, 1 pair of plinths for transpallet.
Colour grey RAL 7000 + grey RAL 7035
TOOLS AND PARTITIONING MATERIAL NOT INCLUDED

CAPACITY

EXTENSION

CLOSING

H 1027 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG S232 02 04		100	87%	key
F AG S232 52 04		200	100%	key

Cabinet capacity 400 kg - Cabinet height without wheels 867 mm

H 1077 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG S234 02 04		100	87%	key
F AG S234 52 04		200	100%	key

Cabinet capacity 400 kg - Cabinet height without wheels 917 mm

H 1077 mm



*maximum capacity 80 kg (87%)

ART.		kg		
F AG S234 03 04		100	87%	key
F AG S234 53 04		200	100%	key

Cabinet capacity 400 kg - Cabinet height without wheels 917 mm

H 1227 mm



* telescopic extension drawer capacity 200 kg

ART.		kg		
F AG S240 01 04		100	87%	key
F AG S240 51 04		200	100%	key

Cabinet capacity 400 kg - Cabinet height without wheels 1067 mm



2 elastic rubber swivel wheels with brake Ø 125 mm
2 elastic rubber fixed wheels Ø 125 mm

STANDARD 717x726 mm

CONFIGURE YOUR CABINET



EMPTY CABINET

ART.		dim. mm	useful H mm		
F AG 2032 00 04		717x726x800 H	700	3100	
F AG 2034 00 04		717x726x850 H	750	3100	
F AG 2040 00 04		717x726x1000 H	900	3100	
F AG 2046 00 04		717x726x1150 H	1050	3100	
F AG 2053 00 04		717x726x1325 H	1225	3100	
F AG 2058 00 04		717x726x1450 H	1350	3100	
F AG 2065 00 04		717x726x1625 H	1525	3100	



COVER TOPS
SEE PAGE 320

EMPTY CABINET PRE-SET FOR WHEELS

ART.		dim. mm	useful H mm	
F AG 0232 00 04		717x802x867 H	700	
F AG 0234 00 04		717x802x917 H	750	
F AG 0240 00 04		717x802x1067 H	900	



WHEELS SEE PAGE 321

Cabinet prepared for wheels including: wheel plate, 4-edge top shelf coated in PVC, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.



The handles can be mounted facing downwards - reducing the total height by 38 mm.


NORMAL EXTENSION DRAWERS

ART.		usable dim. mm	front H mm			
F FG 2005 00 04		600x600x36 H	50	87%	60	
F FG 2007 00 04		600x600x61 H	75	87%	80	
F FG 2010 00 04		600x600x86 H	100	87%	100	
F FG 2012 00 04		600x600x111 H	125	87%	100	
F FG 2015 00 04		600x600x136 H	150	87%	100	
F FG 2017 00 04		600x600x161 H	175	87%	100	
F FG 2020 00 04		600x600x186 H	200	87%	100	
F FG 2030 00 04		600x600x286 H	300	87%	100	



TELESCOPIC EXTENSION DRAWERS

ART.		usable dim. mm	front H mm			
F FG 2107 00 04		600x600x54 H	75	100%	200	
F FG 2110 00 04		600x600x79 H	100	100%	200	
F FG 2112 00 04		600x600x104 H	125	100%	200	
F FG 2115 00 04		600x600x129 H	150	100%	200	
F FG 2117 00 04		600x600x154 H	175	100%	200	
F FG 2120 00 04		600x600x179 H	200	100%	200	
F FG 2125 00 04		600x600x229 H	250	100%	200	
F FG 2130 00 04		600x600x279 H	300	100%	200	
F FG 2140 00 04		600x600x379 H	400	100%	200	



It is mandatory to apply to all drawers inserted in the cabinets with wheels the individual drawer opening device ART. F DD 9400 00 07




NORMAL RETRACTABLE SHELF

ART.		usable dim. mm		kg	
F FG 8020 00 04		610x610	87%	100	



TELESCOPIC EXTENSION SHELF

ART.		usable dim. mm		kg	
F FG 8120 00 04		610x610	100%	200	



ADJUSTABLE SHELF


ART.		usable dim. mm	side H mm	kg	
F SR 1260 01 04		655x618	60	150	



3-EDGE TOP SHELF

ART.	dim. mm	
F AG 9003 01 07	717x726x20 H	


PVC coated shelf. Black colour



MDF TOP SHELF DIM. 718x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3220 11 07	1 side profile	RH or LH final	

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 718x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3220 12 07	-	central	

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 718x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3220 13 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



ART. F UZ 9999 00 00

DRILLING OF THE CABINET UPPER SHELF FOR THE MDF SHELF FIXING.



**OIL-PROOF
RUBBER
FINISHING**



**MDF SHELF
APPLICATION**

STANDARD 717x726 mm



PLINTHS

ART.	H mm	
F RR 0070 00 07	50	

Black colour RAL 9005



PLINTHS FOR TRANSPALLET

ART.	H mm	
F RR 0310 00 07	100	
F RR 0405 00 07	facing piece	

Black colour RAL 9005



PLINTHS FOR FORK LIFT TRUCK

ART.	H mm	
F RR 0230 00 07	60	
F RR 0400 00 07	facing piece	

Black colour RAL 9005



OTHER TYPES OF WHEELS
SEE PAGE 33

ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BCE15 125	125	400	155	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DCE15 125	125	400	155	



NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD10 100	100	235	128	
C RN BAD11 125	125	400	155	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD10 100	100	235	128	
C RN DAD11 125	125	400	155	





PERFORATED PANEL

ART.



dim. mm

M 30 PA71 00 00 00 04

708x65x718 H



HOOKS SEE PAGE 893

PRACTIBOX SEE PAGE 1107

EXAMPLE OF PERFORATED PANEL WITH HOOKS/PRACTIBOX



2 ART. FP PR 6112 0 00 00 01
1 ART. F BL 9541 00 00 (10 pz.)
1 ART. C MV 10 019



2 ART. FP PR 9077 0 00 00 01
2 ART. FP PR 6112 0 00 00 01
2 ART. FP PR 5164 0 00 00 01



2 ART. FP PR 6112 0 00 00 01
3 ART. FP PR 5164 0 00 00 01



3 ART. FP PR 6112 0 00 00 01
1 ART. FP PR 5164 0 00 00 01
1 ART. FP PR 4206 0 00 00 01




ART. M 00 PA71 00 00 FO 00
MDF OR MULTIPLEX TOP SHELF DRILLING
FOR PERFORATED PANEL FIXING -
INCLUDING SCREWS



ART. M 00 PA71 00 00 F1 00
DRILLED TOP SHELF WITH 3/4 EDGES FOR
PERFORATED PANEL FIXING -
INCLUDING SCREWS



ART. M 00 PA71 00 00 F2 00
PRE-SETTING KIT FOR PRACTIBOX FIXING
TO THE PERFORATED PANEL



The top lifting door requires the use of an
adjustable shelf ART. F SR 1260 01 04

TOP LIFTING DOOR

ART.



H mm

F AG 9530 00 04

300

Full top lifting door with pair of guides

ART. F AG L234 S2 50

Dim. mm 1023x726x1020 H
Cabinet with wheels including 4 drawers,
1 flap door, 1 adjustable shelf,
1 MDF top with rubber covering,
1 perforated panel
Colour grey RAL 7035 + blue RAL 5012
TOOLS, HOOKS AND TOOLBOXES NOT INCLUDED



perforated panel

MDF shelf

top lifting door
300 mm

adjustable shelf

50

50

100

200

STANDARD 717x726 mm

FIXING

CABINET-TO-CABINET FIXING SET

ART. F AG 9202 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. F AG 9203 00 99

Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET



ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors $\geq$ class C20/25

Recommended anchor strength: 2.9 KN

Anchor diameter: $\varnothing$ 6 mm



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL. IF OVERLAPPING, THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO.




Example including: 1 corner cabinet, 6 cabinets with drawers, retractable shelves, adjustable shelves, rubber cover MDF tops. TOOLS, CONTAINERS AND PARTITIONING MATERIAL NOT INCLUDED. Ral 7035+7000.

ART. F AG ZA02 00 56



36x36 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 2005 15 00 50 – 300


Set including: 16 partitions 2 grooves, 35 plain partitions 73 mm



ART. for front height mm

F FH 2005 16 00 50 – 300


Set including: 16 partitions 3 grooves, 50 plain partitions 47 mm



ART. for front height mm

F FH 2005 17 00 50 – 300


Set including: 16 partitions 4 grooves, 65 plain partitions 36 mm



ART. for front height mm

F FH 2005 20 00 50 – 300

Set including: 4 partitions 4 grooves, 8 partitions 3 grooves, 4 partitions 2 grooves, 30 plain partitions 36 mm, 20 plain partitions 47 mm, 10 plain partitions 73 mm




ART. for front height mm

F FH 2005 12 00 50

F FH 2007 12 00 75

Set including: 16 plastic boxes 75x75 mm, 16 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

F FH 2005 13 00 50

F FH 2007 13 00 75

F FH 2010 13 00 100 – 125

Set including: 16 plastic boxes 150x75 mm, 8 plastic boxes 150x150 mm



ART. for front height mm

F FH 2005 05 00 50

F FH 2007 05 00 75


F FH 2010 05 00 100 – 125

F FH 2015 05 00 150 – 175

F FH 2020 05 00 200 – 250

F FH 2030 05 00 300

Set including: 1 slotted partition 610 mm, 2 plain partitions 302 mm



ART. for front height mm

F FH 2005 06 00 50

F FH 2007 06 00 75


F FH 2010 06 00 100 – 125

F FH 2015 06 00 150 – 175

F FH 2020 06 00 200 – 250

F FH 2030 06 00 300

Set including: 2 slotted partitions 610 mm, 3 plain partitions 200 mm



ART. for front height mm

F FH 2005 07 00 50

F FH 2007 07 00 75


F FH 2010 07 00 100 – 125

F FH 2015 07 00 150 – 175

F FH 2020 07 00 200 – 250

Set including: 3 slotted partitions 610 mm, 15 plain partitions 149 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 2007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 4 F HC 6071 00 07

no. 6 F HC 6471 00 07

no. 2 F HC 6871 00 07

no. 1 F HA 1140 00 99


no. 1 F HA 2140 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)


2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)


EXAMPLES OF TERMOFORMED TRAY USE




1 unit 1 unit 1 unit



1 unit 1 unit 2 unit



2 unit 2 unit



4 unit

STANDARD

1023x726 mm



- **ART. F AG 5040 61 04**
H = 1000 mm – 7 drawers

METAL COLOURS



GREY
RAL 7000
.01



GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08



NORMAL EXTENSION 87% = 60/100 kg
TELESCOPIC EXTENSION 100% = 150 kg



CYLINDER LOCK (KEY)
Supplied standard with cylinder lock
and two keys



PARTITIONING MATERIAL SEE PAGE 335/379



DRAWER PRE-SETTING KIT SEE PAGE 336



CONFIGURE YOUR CABINET FROM PAGE 331

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 850 mm

5 drawers

100
150
150
150
200



ART.



kg



F AG 5034 54 04

150

100%

key

H 850 mm

5 drawers

100
100
100
150*
300*



*capacity 150 kg (100%)

ART.



kg



F AG 5034 07 04

100

87%

key

F AG 5034 57 04

150

100%

key

H 1000 mm

7 drawers

75
75
100
150
150
150
200



ART.



kg



F AG 5040 61 04

150

100%

key

H 1000 mm

8 drawers

75
75
100
100
100
100
150
200



ART.



kg



F AG 5040 02 04

150

100%

key

H 1325 mm

9 drawers

100
100
100
100
100
125
150
150
200
200



ART.



kg



F AG 5053 01 04

150

100%

key

H 1450 mm

9 drawers

75
75
100
100
100
150
150
200
200
300



ART.



kg



F AG 5058 57 04

150

100%

key

H 1121 mm

5 drawers

100
150
150
150
200



ART.



F AG L534 52 04

150

100%

key

Cabinet capacity 600 kg - Cabinet height without wheels 917 mm

H 1271 mm

6 drawers

100
100
100
150
150
300



ART.



F AG L540 51 04

150

100%

key

Cabinet capacity 600 kg - Cabinet height without wheels 1067 mm



2 standard rubber swivel wheels with brake Ø 160 mm
2 fixed standard rubber wheels Ø 160 mm

ART. F AG L534 S2 50

Cabinet with wheels

dim. 1098x750x1041/2068 mm H

Ral 7035+5012. Including 5 drawers, 1 multiplex

worktop 40 mm thickness, 1 multi-purpose

back panel with containers and 2x18W lamp.

TOOLS AND PARTITIONING MATERIAL NOT

INCLUDED.





ART. F AG 5040 S1 08

Cabinet
dim. 1023x726x1020 mm H Ral 7035.
Including 6 drawers, 1 rubber cover
top with 3 edges.
TOOLS AND PARTITIONING
MATERIAL NOT INCLUDED.

ART. F AG L534 S1 50

Cabinet with wheels
dim. 1098x750x1101 mm H
Ral 7035+5012. Including 5 drawers,
1 multiplex worktop 40 mm thickness.

CONFIGURE YOUR CABINET



EMPTY CABINET

ART.		dim. mm	useful H mm	kg	
F AG 5034 00 04		1023x726x850 H	750	3100	
F AG 5040 00 04		1023x726x1000 H	900	3100	
F AG 5053 00 04		1023x726x1325 H	1225	3100	
F AG 5058 00 04		1023x726x1450 H	1350	3100	



COVER TOPS
SEE PAGE 332



EMPTY CABINET PRE-SET FOR WHEELS

ART.		dim. mm	useful H mm	
F AG 0534 00 04		1098x727x917 H	750	
F AG 0540 00 04		1098x727x1067 H	900	



WHEELS SEE PAGE 333

Cabinet prepared for wheels including: wheel plate, 4-edge top shelf coated in PVC, 2 steel handles covered with shock-resistant rubber, cylinder lock with 2 keys, anti-tilt rod.




The handles can be mounted facing downwards - reducing the total height by 38 mm.



NORMAL EXTENSION DRAWERS

ART.		usable dim. mm	front H mm		kg
F FG 5005 00 04		906x600x36 H	50	87%	60
F FG 5007 00 04		906x600x61 H	75	87%	80
F FG 5010 00 04		906x600x86 H	100	87%	100
F FG 5012 00 04		906x600x111 H	125	87%	100



TELESCOPIC EXTENSION DRAWERS

ART.		usable dim. mm	front H mm		kg
F FG 5107 00 04		906x600x54 H	75	100%	150
F FG 5110 00 04		906x600x79 H	100	100%	150
F FG 5112 00 04		906x600x104 H	125	100%	150
F FG 5115 00 04		906x600x129 H	150	100%	150
F FG 5117 00 04		906x600x154 H	175	100%	150
F FG 5120 00 04		906x600x179 H	200	100%	150
F FG 5125 00 04		906x600x229 H	250	100%	150
F FG 5130 00 04		906x600x279 H	300	100%	150



It is mandatory to apply to all drawers inserted in the cabinets with wheels the individual drawer opening device ART. F DD 9400 00 07




NORMAL RETRACTABLE SHELF

ART.		usable dim. mm			
F FG 8050 00 04		916x610	87%	100	



TELESCOPIC EXTENSION SHELF

ART.		usable dim. mm			
F FG 8150 00 04		916x610	100%	150	



ADJUSTABLE SHELF

ART.		usable dim. mm	side H mm		
F SR 1270 01 04		961x618	60	100	



3-EDGE TOP SHELF

ART.	dim. mm	
F AG 9012 01 07	1023x726x20 H	

PVC coated shelf. Black colour



MDF TOP SHELF DIM. 1024x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3240 11 07	1 side profile	RH or LH final	

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 1024x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3240 12 07	-	central	

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 1024x726x31,5 mm H

ART.	finishes	for cabinet	
F UZ 3240 13 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



**OIL-PROOF
RUBBER
FINISHING**



**MDF SHELF
APPLICATION**



ART. F UZ 9999 00 00

DRILLING OF THE CABINET UPPER SHELF FOR THE MDF SHELF FIXING.



PLINTH

ART.	H mm	
F RR 0095 00 07	50	

Black colour RAL 9005



PLINTHS FOR FORK LIFT TRUCK

ART.	H mm	
F RR 0235 00 07	100	
F RR 0415 00 07	facing piece	

ART.	H mm	
F RR 0230 00 07	60	
F RR 0410 00 07	facing piece	

Black colour RAL 9005



Other types of wheels
SEE PAGE 33

ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BCE15 160	160	600	200	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DCE15 160	160	600	200	



NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD04 160	160	600	200	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD04 160	160	600	200	






ART. F AG 5053 58 50

Cabinet dim. 1023x726x1325 mm H Ral 7035+5012.
Including 2 retractable shelves.
STACKING CONTAINERS NOT INCLUDED

54x36 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 5005 19 00 50 – 300


Set including: 16 partitions 4 grooves, 8 partitions 3 grooves, 30 plain partitions 36 mm, 10 plain partitions 47 mm



ART. for front height mm

F FH 5005 09 00 50 – 300

Set including: 8 partitions 4 grooves, 8 partitions 3 grooves, 8 partitions 2 grooves, 15 plain partitions 36 mm, 10 plain partitions 47 mm, 6 plain partitions 73 mm




ART. for front height mm

F FH 5005 15 00 50

F FH 5007 15 00 75

F FH 5010 15 00 100 – 125

Set including: 7 slotted partitions 610 mm, 12 plain partitions 98 mm, 2 plain partitions 149 mm




ART. for front height mm

F FH 5005 14 00 50

F FH 5007 14 00 75

F FH 5010 14 00 100 – 125

Set including: 6 slotted partitions 610 mm, 6 plain partitions 98 mm, 3 plain partitions 149 mm, 1 Plain partition 200 mm



ART. for front height mm

F FH 5005 13 00 50

F FH 5007 13 00 75


F FH 5010 13 00 100 – 125

F FH 5015 13 00 150 – 175

F FH 5020 13 00 200 – 250

F FH 5030 13 00 300

Set including: 5 slotted partitions 610 mm, 12 plain partitions 149 mm



ART. for front height mm

F FH 5005 01 00 50

F FH 5007 01 00 75


F FH 5010 01 00 100 – 125

F FH 5015 01 00 150 – 175

F FH 5020 01 00 200 – 250

F FH 5030 01 00 300

Set including: 3 slotted partitions 610 mm, 3 plain partitions 149 mm, 9 plain partitions 251 mm




ART. for front height mm

F FH 5005 08 00 50

F FH 5007 08 00 75

F FH 5010 08 00 100 – 125

Set including: 12 plastic boxes 150x75 mm, 18 plastic boxes 150x150 mm




ART. for front height mm

F FH 5005 17 00 50

F FH 5007 17 00 75

Set including: 20 plastic boxes 75x75 mm, 14 plastic boxes 150x75 mm, 12 plastic boxes 150x150 mm



ART. for front height mm

F FH 5005 18 00 50

F FH 5007 18 00 75

F FH 5010 18 00 100 – 125

Set including: 24 plastic boxes 150x150 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS



ART. F FH 5007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

- no. 4 F HC 6071 00 07
- no. 8 F HC 6471 00 07
- no. 4 F HC 6871 00 07
- no. 1 F HA 1150 00 99
- no. 1 F HA 2150 00 99


1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)


4 unit = 1 Beta thermoformed tray (367x588 mm)




EXAMPLES OF TERMOFORMED TRAY USE




1 unit 1 unit 1 unit 1 unit 1 unit 1 unit




2 unit 1 unit 1 unit 1 unit 1 unit




2 unit 2 unit 1 unit 1 unit



2 unit 2 unit 2 unit



4 unit 1 unit 1 unit



4 unit 2 unit


STANDARD

730x726 mm

CORNERS



REAR VIEW



THESE CORNERS CAN ONLY BE USED WITH 726 mm DEEP CABINETS (36 EH), STANDARD SERIES



ART.



F AG 2040 R1 04

EXTERNAL RIGHT-HAND CORNER




ART.



F AG 2040 R2 04

RIGHT SIDE EXTERNAL CORNER CABINET
WITH MDF TOP AND OIL-RESISTANT RUBBER COVER



THESE CORNERS CAN ONLY BE USED WITH 726 mm DEEP CABINETS (36 EH), STANDARD SERIES



ART.



F AG 2040 L1 04

EXTERNAL LEFT-HAND CORNER



ART.



F AG 2040 L2 04

LEFT SIDE EXTERNAL CORNER CABINET
WITH MDF TOP AND OIL-RESISTANT RUBBER COVER


STANDARD

730x726 mm

CORNERS



REAR VIEW



THESE CORNERS CAN ONLY BE USED WITH 726 mm DEEP CABINETS (36 EH), STANDARD SERIES



ART.



F AG 2040 L3 04

LEFT SIDE INTERNAL CORNER




ART.



F AG 2040 L4 04

LEFT SIDE INTERNAL CORNER CABINET
WITH MDF TOP AND OIL-RESISTANT RUBBER COVER



THESE CORNERS CAN ONLY BE USED WITH 726 mm DEEP CABINETS (36 EH), STANDARD SERIES



ART.



F AG 2040 R3 04

RIGHT SIDE INTERNAL CORNER



ART.



F AG 2040 R4 04

RIGHT SIDE INTERNAL CORNER CABINET
WITH MDF TOP AND OIL-RESISTANT RUBBER COVER