



INNOVATION ELEGANCE FLEXIBILITY

THE CABINET THAT CHANGES CABINETS





MASTER

CABINET MASTER

The idea was born in 2009: to reinvent the concept of the cabinet. To reinvent something you have to reinvent yourself. Fami has rethought its own Research & Development department with six new minds, mechanical and electronic engineers specialized in automation and project industrialization.

Drawer cabinet is designed to satisfy and adapt to customer needs. A product featuring unrivalled accuracy in production processes. A perfect combination of technology and functionality aimed at optimising workflows.

300
prototypes

1.000.000
tests

4 YEARS
of
development

4
PATENTS

1
unique DESIGN model in the world

3 CLOSURE TYPES



KEY LOCK
(KEY)



CODE LOCK
(CODE)



CODE LOCK WITH REMOTE CONTROL
(REMOTE)

2 FREE SOFTWARE OPTIONS



LABEL CUSTOMISING



EVENT HISTORY DOWNLOAD
FOR CODE LOCK

2 EXTENSION TYPES



FLEXIBLE EXTRACTION
92% = 100 kg
96% = 75 kg
100% = 50 kg



TELESCOPIC EXTRACTION
100% = 200 kg


5 CHARACTERISTICS THAT MAKE IT UNIQUE



CLOSURE SYSTEMS ENSURING
EFFICIENT ANTI-TAMPER PROTECTION



DRAWER VISUAL CONE 30% LARGER
THAN FAMI STANDARD



INNOVATIVE VERTICAL MOVEMENT ANTI-TILT BAR, FOR LOWER-NOISE, MORE DURABLE OPERATION



DRAWER EXTENSION AND CAPACITY
OPTIONS DIRECTLY SETTABLE BY
CUSTOMER




CONFIGURABLE WITH HINGED DOORS
SLIDING DOORS AND ROLLING SHUTTER

TECHNICAL SPECIFICATIONS

COLOURS

CABINET




10 colours for the metal part

RAL 7000	RAL 6011	RAL 3003	RAL 9010	RAL 5019
RAL 7016	RAL 5012	RAL 7035	RAL 5010	RAL 9002

8 colours for plastic accessories


DARK GREY	MEDITERRANEAN BLUE	SKY BLUE	GLAMOUR RED
RED CARPET	JUICE ORANGE	SUNNY YELLOW	FOREST GREEN



FRONT HANDLE

CODE

MASTER CABINET CODING



VERTEBRATE BAR

THE SYSTEM'S HEART AND BRAINS

The bar is an aluminium profile section that is always fixed and never rotates. The closing movement is obtained via blocks that move vertically – driven by one of the basic forces of physics: gravity.

The lighter the workload, the longer the component life.

The bar has 25 mm pitch holes – allowing for a number of closure heads to be fitted. This allows access to drawers to be split into multiple groups. The division into groups is configurable in height.



PATENTED

MECHANICAL SYSTEM LOCK CYLINDER

Transmission system from the lock cylinder to the head of the vertebrate bar with steel wire, with elastic sheath and linear movement.

The cylinder lock is divided into 23 different series: each series has keys numbered from 1 to 160, for a total of 3,680 different combinations.

PUSH TO OPEN – INDIVIDUAL DRAWER OPENING

Compared to traditional systems that require additional components on the front, the opening of drawers is a feature integrated in the cylinder. To open the drawers, it is enough to turn the key and press the lock cylinder. The fewer components in a given mechanism, the less likely the risk of breakdowns.



PATENTED

✓ syCONTROL

Mechanical or electronic lock providing high anti-tamper protection.

EVENT CONTROL SOFTWARE

Free reporting software downloadable from:

www.sylogik.com/sycontrol.

Latest 1000 events displayed with date, time, user and event type.

To be able to always control every opening and every access.

ELECTRONIC SYSTEM

The numerical code lock controls the opening and closing of the vertebrate bar and of the door. It can manage up to 10 users with 3 to 8 digits numerical codes. The event history can be downloaded by connecting the keypad to the PC with a cable. Up to 10 remote controls are available on request.



FREEDOM TO CONFIGURATE


FLEXIBLE EXTRACTION

New, simple extension guide with mechanical adjustment of the drawer rear stop in 3 different positions. It allows 3 different capacities to be obtained: 50, 75, 100 kg. A new telescopic guide can be mounted on the drawer.

✓ syFLEX

Patented opening system allowing the user to customise extension and load capacity.

PATENTED



92%	100
96%	75
100%	50

TELESCOPIC EXTRACTION

New extraction guide (extraction 100%) that guarantees load capacity of 200 kg in 10 dimensions.



Drawers/retractable shelves of Master series can mount independently both flexible and telescopic extraction rails.

WEB TO PRINT

SYLOGIK
smart solutions

The drawer front becomes a real visual interface.

- Customisable with design and decorative elements
- User Inputs: Labels for content description and classification
- User Outputs: Possibility of adding visual or descriptive messages on the handle

✓ syFRONT


Free Web to Print service for customising the labels to be affixed to the handle of the cabinet.





LABEL PRINTING SOFTWARE

- online and free
- it handles text, images, 8 types of barcode
- can be connected to (Excel) spreadsheets to print serial or progressive labels

www.sylogik.com/syfront





THE FIRST FRONT BEARING CABINET IN THE WORLD



THE SIMPLER A MECHANISM DESIGN,
THE MORE EFFECTIVE ITS OPERATION

The plain guide has been extended as much as the closet.
The front bearing has been moved beyond the front of the drawer.
The result: a marked improvement in the drawer percentage
extension and drawer volume use. The shadow cone is nil in the
top drawers although these are adjusted to a 100 kg capacity.

PATENTED



+ 30% compared to a
traditional Fami cabinet



LARGER VISUAL CONE



SLIDING DOORS





ROLLING SHUTTER

See page 1380

HINGED DOORS



LOCKS



CYLINDER CLOSURE

The cylinder lock controls the opening and closing of the vertebrate bar and the door. It is divided into 23 different series: each series has keys numbered from 1 to 160, for a total of 3,680 different combinations.

FOR CABINETS WITHOUT WHEELS

Cylinder lock for opening and closing the drawers and the door by turning the key.

	C0	C1	C2
	the lock serial number will be a random figure between 1 and 23	the lock serial number will be choosed by the customer figure between 1 and 23	the lock serial number will be choosed by the customer figure between 1 and 23
	all the keys will have a DIFFERENT numbering	all the keys will have a DIFFERENT numbering	all the keys will have a SAME numbering

FOR CABINETS WITH WHEELS – Push To Open

Cylinder lock for opening and closing the drawers by turning the key. In the unlocking phase, the cylinder must be held down in order to open the drawer – avoiding its accidental opening when the cabinets are moving.

	S0	S1	S2
	the lock serial number will be a random figure between 1 and 23	the lock serial number will be choosed by the customer figure between 1 and 23	the lock serial number will be choosed by the customer figure between 1 and 23
	all the keys will have a DIFFERENT numbering	all the keys will have a DIFFERENT numbering	all the keys will have the SAME numbering

MASTER KEY ART. M 00 PF.. 0000 00 00





CYLINDER LOCK FOR CABINET BODY
The master key will open all the locks of the same series between 1 and 23

CYLINDER LOCK FOR HINGED DOORS
The master key will open all the locks of the same series between 1 and 23

ALL THE CYLINDER LOCK ARE AS STANDARD SUPPLIED WITH 2 KEYS





LOCK WITH NUMERICAL CODE

The numerical code lock controls the opening and closing of the vertebrate bar and of the door. It can manage up to 10 users with 3 to 8 digits numerical codes. The event history can be downloaded by connecting the keypad to the PC using a cable. Up to 10 remote controls are available on request.

FOR CABINETS WITHOUT WHEELS

Numerical code lock for opening and closing the drawers and door.



E2	T2	P5
bar opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	bar + door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download
battery power	battery power	battery power

FOR CABINETS WITH WHEELS – Push To Open

Keypad closure for opening and closing the drawers and the doors via a numerical code. In the unlocking phase, a special button must be pressed on the keypad, to ensure safety while the cabinets are moving.



P2	A1	P5
bar opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	bar + door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download
battery power	battery power	battery power

REMOTE CONTROL FOR NUMERICAL CODE KEYPAD



ART. M 00 VRC0 00 00 00 00
Receiver module with remote control

ART. M 00 VRC0 00 00 01 00
Additional remote control



IN ORDER TO USE THE REMOTE CONTROL, IT IS NECESSARY TO COMBINE THE RECEIVER MODULE WITH THE NUMERICAL CODE LOCK



UPON REQUEST, AN ELECTRICALLY POWERED LOCK CAN BE SUPPLIED



WHEELS

STANDARD RUBBER

STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BAC11 100	100	75	128	
C RG BAC12 125	125	100	155	



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BAC13 150	150	115	180	
C RG BAC15 200	200	205	240	



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DAC11 100	100	75	128	
C RG DAC12 125	125	100	155	



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DAC13 150	150	115	180	
C RG DAC15 200	200	205	240	



NYLON

NYLON FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RN BAD10 100	100	125	128	
C RN BAD11 125	125	180	155	



NYLON FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RN BAD04 160	160	300	200	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RN DAD10 100	100	125	128	
C RN DAD11 125	125	180	155	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RN DAD04 160	160	300	200	



NON-MARKING RUBBER

NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BPH22 125	125	100	155	



NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BPH25 160	160	200	200	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DPH22 125	125	100	155	



NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DPH25 160	160	200	200	



ELASTIC RUBBER

ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BCE15 125	125	180	155	



ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RG BCE15 160	160	300	200	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DCE15 125	125	180	155	



ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RG DCE15 160	160	300	200	



WHEELS

POLYURETHANE

POLYURETHANE FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RN BDD31 125	125	180	155	



POLYURETHANE FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm	
C RN BDD44 160	160	300	200	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RN DDD31 125	125	180	155	



POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm	
C RN DDD44 160	160	300	200	



 A = WHEEL LOAD CAPACITY

To calculate the capacity of the cabinet with wheels made of standard rubber, non-marking rubber and nylon with Ø 100 mm, apply the formula: (A×3) - 55 kg. The capacity of the cabinet with wheels made of standard rubber, polyurethane and nylon with Ø 125 mm is 400 kg

To calculate the capacity of the cabinet with wheels made of standard rubber, non-marking rubber and nylon with Ø 100 mm, apply the formula: (A×3) - 65 kg. The capacity of the cabinet with wheels made of standard rubber, polyurethane and nylon with Ø 125 mm is 400 kg

To calculate the cabinet capacity, apply the formula: (A×3) - 120 kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

To calculate the cabinet capacity, apply the formula: (A×3) - 170 kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

To calculate the cabinet capacity, apply the formula: (A×3) - 65 kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

18x27 EH

27x27 EH

36x27 EH

54x27 EH

27x36 EH



A = WHEEL LOAD CAPACITY

36x36 EH

To calculate the cabinet capacity, apply the formula: $(A \times 3) - 140$ kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

45x36 EH

To calculate the cabinet capacity, apply the formula: $(A \times 3) - 160$ kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

54x36 EH

To calculate the cabinet capacity, apply the formula: $(A \times 3) - 180$ kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

64x36 EH

To calculate the cabinet capacity, apply the formula: $(A \times 3) - 200$ kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

78x36 EH

To calculate the cabinet capacity, apply the formula: $(A \times 3) - 220$ kg
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg



METAL COLOURS

	
GREY RAL 7000 .01	GREEN RAL 6011 .02
	
BLUE RAL 5012 .04	GREY RAL 7035 .08
	
GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G
	
GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35
	
ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48



- **ART. M 12 A100 CO 10 AW 04**
H = 1000 mm - 7 drawers

PLASTIC COLOURS

			
DARK GREY .M0	MEDITERRANEAN BLUE .M1	SKY BLUE .M2	GLAMOUR RED .M3
			
RED CARPET .M4	JUICE ORANGE .M5	SUNNY YELLOW .M6	FOREST GREEN .M7



PARTITIONING MATERIAL SEE PAGE 55/379



DRAWER PRE-SETTING KIT SEE PAGE 56



CONFIGURE YOUR CABINET FROM PAGE 43

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



ART.					
M 12 A040 C0 10 02 04		50-75-100	100-96-92%	key	
M 12 A040 E2 10 02 04		50-75-100	100-96-92%	code	

H 400 mm



ART.					
M 12 A040 C0 10 03 04		50-75-100	100-96-92%	key	
M 12 A040 E2 10 03 04		50-75-100	100-96-92%	code	

H 600 mm



ART.					
M 12 A060 C0 10 20 04		50-75-100	100-96-92%	key	
M 12 A060 E2 10 20 04		50-75-100	100-96-92%	code	

H 600 mm



ART.					
M 12 A060 C0 10 21 04		50-75-100	100-96-92%	key	
M 12 A060 E2 10 21 04		50-75-100	100-96-92%	code	

H 600 mm



ART.					
M 12 A060 C0 10 22 04		50-75-100	100-96-92%	key	
M 12 A060 E2 10 22 04		50-75-100	100-96-92%	code	

H 600 mm



door 425 mm

depth 598 mm

ART.					
M 12 A060 C0 10 17 04		50-75-100	100-96-92%	key	
M 12 A060 T2 10 17 04		50-75-100	100-96-92%	code	

H 700 mm



ART.					
M 12 A070 C0 10 34 04		50-75-100	100-96-92%	key	
M 12 A070 E2 10 34 04		50-75-100	100-96-92%	code	

H 700 mm



ART.					
M 12 A070 C0 10 31 04		50-75-100	100-96-92%	key	
M 12 A070 E2 10 31 04		50-75-100	100-96-92%	code	

H 700 mm



door 425 mm depth 598 mm

ART.					
M 12 A070 C0 10 30 04		50-75-100	100-96-92%	key	
M 12 A070 T2 10 30 04		50-75-100	100-96-92%	code	

H 700 mm



door 600 mm depth 598 mm

ART.					
M 12 A070 C0 10 36 04		50-75-100	100-96-92%	key	
M 12 A070 P5 10 36 04		50-75-100	100-96-92%	code	

H 800 mm



ART.					
M 12 A080 C0 10 56 04		50-75-100	100-96-92%	key	
M 12 A080 E2 10 56 04		50-75-100	100-96-92%	code	


H 800 mm



door 425 mm depth 598 mm

ART.					
M 12 A080 C0 10 57 04		50-75-100	100-96-92%	key	
M 12 A080 T2 10 57 04		50-75-100	100-96-92%	code	

H 1000 mm



H 1000 mm



door 625 mm

depth 598 mm

ART.				
● M 12 A100 C0 10 AW 04	50-75-100	100-96-92%	key	
M 12 A100 E2 10 AW 04	50-75-100	100-96-92%	code	

ART.				
M 12 A100 C0 10 BD 04	50-75-100	100-96-92%	key	
M 12 A100 T2 10 BD 04	50-75-100	100-96-92%	code	



ART. M 12 A080 E2 14 NB 01

SEE PAGE 287

H 818 mm



ART.					
M 12 R060 S0 10 20 04		50-75-100	100-96-92%	key	
M 12 R060 P2 10 20 04		50-75-100	100-96-92%	code	

Cabinet capacity 245 kg - Cabinet height without wheels mm 663

H 818 mm



ART.					
M 12 R060 S0 10 21 04		50-75-100	100-96-92%	key	
M 12 R060 P2 10 21 04		50-75-100	100-96-92%	code	

Cabinet capacity 245 kg - Cabinet height without wheels mm 663

H 918 mm



ART.					
M 12 R070 S0 10 35 04		50-75-100	100-96-92%	key	
M 12 R070 P2 10 35 04		50-75-100	100-96-92%	code	

Cabinet capacity 245 kg - Cabinet height without wheels mm 763

H 918 mm



door 425 mm

ART.					
M 12 R070 S0 10 30 04		50-75-100	100-96-92%	key	
M 12 R070 A1 10 30 04		50-75-100	100-96-92%	code	

Cabinet capacity 245 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm

ART. M 12 A100 T2 16 NC 35

SEE PAGE 287



ART. M 12 R070 S0 11 35 35

SEE PAGE 287



CONFIGURE YOUR CABINET

CHOOSE
a height

CHOOSE
a closure

CHOOSE
a colour

M12	A040	C5	10 00	01
-----	------	----	-------	----

EMPTY CABINET



Cabinet load
capacity 3100 kg

M12	HEIGHT	CLOSURE	10 00	COLOUR
	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock		01 RAL 7000
	A060 600 mm (working dim. 500 mm)	C5* senza serratura		02 RAL 6011
	A070 700 mm (working dim. 600 mm)	KEY CYLINDER LOCK C0*		1G RAL 3003
	A080 800 mm (working dim. 700 mm)	KEY CYLINDER LOCK C1*		1F RAL 9002
	A100 1000 mm (working dim. 900 mm)	KEY CYLINDER LOCK C2*		48 RAL 5019
		CODE NUMERICAL CODE E2*		39 RAL 7016
		CODE NUMERICAL CODE T2*		04 RAL 5012
				08 RAL 7035
				35 RAL 9010
				34 RAL 5010

*COMPLETE WITH VERTEBRATE BAR



LOCKS SEE PAGE 31

EMPTY CABINET pre-set for wheels



WHEELS
SEE PAGE
33

M12	HEIGHT	CLOSURE	10 00	COLOUR
	R060 663 mm (working dim. 500 mm)	KEY CYLINDER LOCK S0		01 RAL 7000
	R070 763 mm (working dim. 600 mm)	KEY CYLINDER LOCK S1		02 RAL 6011
		KEY CYLINDER LOCK S2		1G RAL 3003
		CODE NUMERICAL CODE P2		1F RAL 9002
		CODE NUMERICAL CODE A1		48 RAL 5019
				39 RAL 7016
				04 RAL 5012
				08 RAL 7035
				35 RAL 9010
				34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT
Overall dim. mm 434x647



FLEXIBLE EXTRACTION DRAWERS

ART. WITH Dark Grey plastic kit		ART. NO plastic kit*		Usable dim. mm	Front H mm	kg		
M 12 C050 01 10 0F __		M 12 C050 01 00 0F __		294x447x31 H	50	50 - 75 - 100	100% - 96% - 92%	
M 12 C075 01 10 0F __		M 12 C075 01 00 0F __		294x447x56 H	75	50 - 75 - 100	100% - 96% - 92%	
M 12 C100 01 10 0F __		M 12 C100 01 00 0F __		294x447x81 H	100	50 - 75 - 100	100% - 96% - 92%	
M 12 C125 01 10 0F __		M 12 C125 01 00 0F __		294x447x106 H	125	50 - 75 - 100	100% - 96% - 92%	
M 12 C150 01 10 0F __		M 12 C150 01 00 0F __		294x447x131 H	150	50 - 75 - 100	100% - 96% - 92%	
M 12 C200 01 10 0F __		M 12 C200 01 00 0F __		294x447x181 H	200	50 - 75 - 100	100% - 96% - 92%	
M 12 C250 01 10 0F __		M 12 C250 01 00 0F __		294x447x231 H	250	50 - 75 - 100	100% - 96% - 92%	
M 12 C300 01 10 0F __		M 12 C300 01 00 0F __		294x447x281 H	300	50 - 75 - 100	100% - 96% - 92%	

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC EXTRACTION DRAWERS

ART. WITH Dark Grey plastic kit		ART. NO plastic kit*		Usable dim. mm	Front H mm	kg		
M 12 C075 01 10 0T __		M 12 C075 01 00 0T __		294x447x56 H	75	200	100%	
M 12 C100 01 10 0T __		M 12 C100 01 00 0T __		294x447x81 H	100	200	100%	
M 12 C125 01 10 0T __		M 12 C125 01 00 0T __		294x447x106 H	125	200	100%	
M 12 C150 01 10 0T __		M 12 C150 01 00 0T __		294x447x131 H	150	200	100%	
M 12 C200 01 10 0T __		M 12 C200 01 00 0T __		294x447x181 H	200	200	100%	
M 12 C250 01 10 0T __		M 12 C250 01 00 0T __		294x447x231 H	250	200	100%	
M 12 C300 01 10 0T __		M 12 C300 01 00 0T __		294x447x281 H	300	200	100%	

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.	
 MEDITERRANEAN BLUE	M 10 PLS1 00 00 00 M1	
 SKY BLUE	M 10 PLS1 00 00 00 M2	
 GLAMOUR RED	M 10 PLS1 00 00 00 M3	
 RED CARPET	M 10 PLS1 00 00 00 M4	
 JUICY ORANGE	M 10 PLS1 00 00 00 M5	
 SUNNY YELLOW	M 10 PLS1 00 00 00 M6	
 FOREST GREEN	M 10 PLS1 00 00 00 M7	



FLEXIBLE EXTENSIBLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 12 C057 01 10 0F _ _	M 12 C057 01 00 0F _ _	294x447	70	50 - 75 - 100	100% - 96% - 92%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC EXTENSIBLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 12 C057 01 10 0T _ _	M 12 C057 01 00 0T _ _	294x447	70	200	100%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg
M 12 PR25 00 00 01 _ _	351x478	60	70

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 10 PLS1 00 00 00 M1
SKY BLUE	M 10 PLS1 00 00 00 M2
GLAMOUR RED	M 10 PLS1 00 00 00 M3
RED CARPET	M 10 PLS1 00 00 00 M4
JUICY ORANGE	M 10 PLS1 00 00 00 M5
SUNNY YELLOW	M 10 PLS1 00 00 00 M6
FOREST GREEN	M 10 PLS1 00 00 00 M7



ART. M 12 R070 SO 11 35 35

SEE PAGE 287

HINGED DOORS WITH CYLINDER

FULL HEIGHT HINGED DOOR - REVERSIBLE



CABINET HEIGHT mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	C0 KEY cylinder lock	M 10 P050 C0 10 00 _ _	M 10 P050 C0 00 00 _ _
	C1 KEY cylinder lock	M 10 P050 C1 10 00 _ _	M 10 P050 C1 00 00 _ _
	C2 KEY cylinder lock	M 10 P050 C2 10 00 _ _	M 10 P050 C2 00 00 _ _
700	C0 KEY cylinder lock	M 10 P060 C0 10 00 _ _	M 10 P060 C0 00 00 _ _
	C1 KEY cylinder lock	M 10 P060 C1 10 00 _ _	M 10 P060 C1 00 00 _ _
	C2 KEY cylinder lock	M 10 P060 C2 10 00 _ _	M 10 P060 C2 00 00 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)
OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

FULL HEIGHT HINGED DOOR - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	C0 KEY cylinder lock	M 10 P042 C0 10 01 _ _	M 10 P042 C0 00 01 _ _
	C1 KEY cylinder lock	M 10 P042 C1 10 01 _ _	M 10 P042 C1 00 01 _ _
	C2 KEY cylinder lock	M 10 P042 C2 10 01 _ _	M 10 P042 C2 00 01 _ _
525	C0 KEY cylinder lock	M 10 P052 C0 10 01 _ _	M 10 P052 C0 00 01 _ _
	C1 KEY cylinder lock	M 10 P052 C1 10 01 _ _	M 10 P052 C1 00 01 _ _
	C2 KEY cylinder lock	M 10 P052 C2 10 01 _ _	M 10 P052 C2 00 01 _ _
625	C0 KEY cylinder lock	M 10 P062 C0 10 01 _ _	M 10 P062 C0 00 01 _ _
	C1 KEY cylinder lock	M 10 P062 C1 10 01 _ _	M 10 P062 C1 00 01 _ _
	C2 KEY cylinder lock	M 10 P062 C2 10 01 _ _	M 10 P062 C2 00 01 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE



LOCKS SEE
PAG. 31

HINGED DOORS WITH NUMERICAL CODE



FULL HEIGHT HINGED DOORS – RIGHT-HAND OPENING ONLY

CABINET HEIGHT mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	P5 CODE numerical code	M 10 P050 P5 10 00 _ _	M 10 P050 P5 00 00 _ _
700	P5 CODE numerical code	M 10 P060 P5 10 00 _ _	M 10 P060 P5 00 00 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)
OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

FULL HEIGHT HINGED DOOR – REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	A4 handle without keypad	M 10 P042 A4 10 01 _ _	M 10 P042 A4 00 01 _ _
525	A4 handle without keypad	M 10 P052 A4 10 01 _ _	M 10 P052 A4 00 01 _ _
625	A4 handle without keypad	M 10 P062 A4 10 01 _ _	M 10 P062 A4 00 01 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:
USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS
USE THE **A1** LOCK FOR THE CABINET WITH WHEELS



LOCKS
SEE PAGE 31

REMOTE CONTROL



ART.	
M 00 VRC0 00 00 00 00	Receiver module with remote control
M 00 VRC0 00 00 01 00	Additional Remote Control

PLASTIC PARTS KIT FOR HINGED DOORS



PLASTIC COLOURS	ART. KEY	ART. CODE
MEDITERRANEAN BLUE	M 00 PLS0 00 00 20 M1	M 00 PLS0 00 00 21 M1
SKY BLUE	M 00 PLS0 00 00 20 M2	M 00 PLS0 00 00 21 M2
GLAMOUR RED	M 00 PLS0 00 00 20 M3	M 00 PLS0 00 00 21 M3
RED CARPET	M 00 PLS0 00 00 20 M4	M 00 PLS0 00 00 21 M4
JUICY ORANGE	M 00 PLS0 00 00 20 M5	M 00 PLS0 00 00 21 M5
SUNNY YELLOW	M 00 PLS0 00 00 20 M6	M 00 PLS0 00 00 21 M6
FOREST GREEN	M 00 PLS0 00 00 20 M7	M 00 PLS0 00 00 21 M7



3-EDGE TOP SHELF

ART.	dim. mm	
M 12 T023 AG 00 31 07	408x573x23 H	

Pvc coated shelf for SINGLE CABINET. Colour black



4-EDGE TOP SHELF

ART.	dim. mm	
M 12 T023 AG 00 41 07	408x573x23 H	

Pvc coated shelf for SINGLE CABINET. Colour black

ART. M 00 T023 AG 00 F0 00

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



MULTIPLEX TOP SHELF

ART.	dim. mm	
M 12 T040 MU 00 01 00	408x573x40 H	

For SINGLE CABINET



MDF TOP SHELF DIM. 408x573x32 mm H

ART.	finishes	for cabinet	
M 12 T030 MD GM 21 07	1 side profile	RH or LH final	

MDF shelf with oil-proof top rubber coating. Colour black



MDF TOP SHELF DIM. 408x573x32 mm H

ART.	finishes	for cabinet	
M 12 T030 MD GM 11 07	-	central	

MDF shelf with oil-proof top rubber coating. Colour black



MDF TOP SHELF DIM. 408x573x32 mm H

ART.	finishes	for cabinet	
M 12 T030 MD GM 01 07	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Colour black



ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



OIL-PROOF
RUBBER
FINISHING



MDF SHELF
APPLICATION



HEIGHT RAISING PLINTH 50 mm

ART.		dim. mm	
M 12 Z050 00 00 00 _ _		406x572x50 H	



HEIGHT RAISING PLINTH 100 mm

ART.		dim. mm	
M 12 Z100 00 00 00 _ _		406x572x100 H	



STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RG BAC11 100	100	170	128	
C RG BAC12 125	125	245	155	



STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RG DAC11 100	100	170	128	
C RG DAC12 125	125	245	155	



NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm	
C RN BAD10 100	100	320	128	
C RN BAD11 125	125	400	155	



NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm	
C RN DAD10 100	100	320	128	
C RN DAD11 125	125	400	155	



SPARE PARTS - Fixing



OTHER TYPES
OF WHEELS
SEE PAGE 33

SPARE LOCK

ART. M 00 CSR0 8800 00 00

Spare lock with two keys



SPARE KEY

ART. M 00 CF00 0000 00 00

Always specify the number indicated in the cylinder lock where you wish to replace the key



MASTER KEY

ART. M 00 PF.. 0000 00 00

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01
Master key series F 02
Master key series F ..

ART. M 00 PF01 00 00 00 00
ART. M 00 PF02 00 00 00 00
ART. M 00 PF.. 00 00 00 00

CABINET-TO-CABINET FIXING SET

ART. M 00 FIS0 00 00 00 99

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

ART. M 00 SVR0 00 00 00 99

Drilling and hardware for fixing two overlapping cabinets

FLOOR FIXING SET



ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors ≥ class C20/25

Recommended anchor strength: 2.9 KN
Anchor diameter: Ø 6 mm



SPARE HANDLE

ART. M 00 PLS0 0000 22 M0

Replacement door handle available in Dark Grey.



OTHER COLOURS
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



MASTER

408x573 mm

Born To Be Extreme

EMPTY CABINET without vertebrate bar and without lock



H 400 mm
Useful H 300 mm



H 600 mm
Useful H 500 mm



H 700 mm
Useful H 600 mm



H 800 mm
Useful H 700 mm



H 1000 mm
Useful H 900 mm



M 12 A040 X0 10 00 _ _

M 12 A060 X0 10 00 _ _

M 12 A070 X0 10 00 _ _

M 12 A080 X0 10 00 _ _

M 12 A100 X0 10 00 _ _

VERTEBRATE BAR



The vertebrate bar is a perforated extruded aluminium profile with 25 mm hole pitch for insertion of the anti-tilt spring. The anti-tilt bar is supplied complete with plastic accessories and a top structure designed for cylinder or electronic lock closure.

ART.	Working H (mm) for drawer insertion	
M 00 V030 00 00 00 00	300	
M 00 V050 00 00 00 00	500	
M 00 V060 00 00 00 00	600	
M 00 V070 00 00 00 00	700	
M 00 V075 00 00 00 00	750	
M 00 V090 00 00 00 00	900	

CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.		
M 12 V000 C0 00 00 00	C0	CYLINDER LOCK WITH DIFFERENT NUMBERING
M 12 V000 C1 00 00 00	C1	CYLINDER LOCK FOR SETS OF 160 NUMBERS
M 12 V000 C2 00 00 00	C2	CYLINDER LOCK WITH SAME NUMBERING

For Experts Only

NUMERICAL CODE LOCK (CODE)



ART.		
M 12 V000 E2 00 00 00	E2	BAR OPENING/CLOSING (battery power supply)
M 12 V000 E5 00 00 00	E5	BAR OPENING/CLOSING (mains power supply)
M 12 V000 T2 00 00 00	T2	DOOR + BAR OPENING/CLOSING (battery power supply)
M 12 V000 T3 00 00 00	T3	DOOR + BAR OPENING/CLOSING (mains power supply)

ART. REMOTE CONTROL

M 00 VRC0 00 00 00 00	Receiver module with remote control
M 00 VRC0 00 00 01 00	Additional Remote Control



SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

TOP SHELF FOR LOCKS



ART.		Front H mm	kg
M 12 PS46 00 10 00 _ _		46	150

Dim. mm 357x571x46 H

BOTTOM SHELF FOR LOCKS



ART.		Front H mm	kg
M 12 PS46 10 10 00 _ _		46	150

Dim. mm 357x571x46 h

ADJUSTABLE SHELF



ART.		Total H mm	kg
M 12 PR25 00 00 01 _ _		60	70

Dim. mm 351x478x60 H

SLOTTED ADJUSTABLE SHELF




ART.		Front H mm	kg
M 12 PR35 10 00 01 _ _		35	100

Dim. mm 357x568x35 H

18x27 EH


PARTITIONING MATERIAL



ART. for front height mm

F FH 8205 02 00 50 – 300


Set including: 3 partitions 4 grooves, 3 partitions 3 grooves, 16 plain partitions 36 mm, 7 plain partitions 47 mm



ART. for front height mm

F FH 8205 03 00 50 – 300


Set including: 3 partitions 3 grooves, 3 partitions 2 grooves, 15 plain partitions 47 mm, 8 plain partitions 73 mm



ART. for front height mm

F FH 8205 04 00 50 – 300

Set including: 6 partitions 2 grooves, 18 plain partitions 73 mm



ART. for front height mm

F FH 8005 08 00 50

F FH 8007 08 00 75


F FH 8010 08 00 100 – 125

F FH 8015 08 00 150

F FH 8020 08 00 200 – 250

F FH 8030 08 00 300

Set including: 1 slotted partition 455 mm, 2 plain partitions 149 mm



ART. for front height mm


F FH 8005 09 00 50

F FH 8007 09 00 75

F FH 8010 09 00 100 – 125

F FH 8015 09 00 150

Set including: 2 slotted partitions 455 mm, 6 plain partitions 98 mm



ART. for front height mm

F FH 8405 13 00 50


F FH 8407 13 00 75

F FH 8410 13 00 100 – 125

F FH 8415 13 00 150

F FH 8420 13 00 200 – 250

Set including: 2 plain partitions 455 mm




ART. for front height mm

F FH 8205 18 00 50

F FH 8207 18 00 75

F FH 8210 18 00 100 – 125

Set including: 4 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm




ART. for front height mm

F FH 8205 17 00 50

F FH 8207 17 00 75

Set including: 4 plastic boxes 75x75 mm, 6 plastic boxes 150x75 mm, 2 plastic boxes 150x150 mm




ART. for front height mm

F FH 8605 19 00 50 – 300

Set including: 2 multi-purpose supports 440 mm

CONFIGURE A FAMI DRAWER WITH BETA TOOLS





ART. F FH 0707 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:
no. 2 F HC 6471 00 07
no. 1 F HA 3160 00 00

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

EXAMPLES OF TERMOFORMED TRAY USE





METAL COLOURS

	
GREY RAL 7000 .01	GREEN RAL 6011 .02
	
BLUE RAL 5012 .04	GREY RAL 7035 .08
	
GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G
	
GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35
	
ANTHRACITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48



- **ART. M 22 A100 C0 10 AZ 04**
H = 1000 mm – 7 drawers

PLASTIC COLOURS

			
DARK GREY .M0	MEDITERRANEAN BLUE .M1	SKY BLUE .M2	GLAMOUR RED .M3
			
RED CARPET .M4	JUICE ORANGE .M5	SUNNY YELLOW .M6	FOREST GREEN .M7



PARTITIONING MATERIAL SEE PAGE 75/379



DRAWER PRE-SETTING KIT SEE 76



CONFIGURE YOUR CABINET FROM PAGE 65

KEY



SHELF/
DRAWER
CAPACITY



SHELF/
DRAWER
EXTENSION



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



ART.					
M 22 A040 C0 10 04 04		50-75-100	100-96-92%	key	
M 22 A040 E2 10 04 04		50-75-100	100-96-92%	code	

H 400 mm



ART.					
M 22 A040 C0 10 02 04		50-75-100	100-96-92%	key	
M 22 A040 E2 10 02 04		50-75-100	100-96-92%	code	

H 600 mm



ART.					
M 22 A060 C0 10 20 04		50-75-100	100-96-92%	key	
M 22 A060 E2 10 20 04		50-75-100	100-96-92%	code	

H 600 mm



door 425 mm

depth 598 mm

ART.					
M 22 A060 C0 10 17 04		50-75-100	100-96-92%	key	
M 22 A060 T2 10 17 04		50-75-100	100-96-92%	code	

H 700 mm



ART.					
M 22 A070 C0 10 31 04		50-75-100	100-96-92%	key	
M 22 A070 E2 10 31 04		50-75-100	100-96-92%	code	

H 700 mm



door 425 mm

depth 598 mm

ART.					
M 22 A070 C0 10 30 04		50-75-100	100-96-92%	key	
M 22 A070 T2 10 30 04		50-75-100	100-96-92%	code	

H 800 mm



ART.					
M 22 A080 C0 10 54 04		50-75-100	100-96-92%	key	
M 22 A080 E2 10 54 04		50-75-100	100-96-92%	code	

H 800 mm



ART.					
M 22 A080 C0 10 56 04		50-75-100	100-96-92%	key	
M 22 A080 E2 10 56 04		50-75-100	100-96-92%	code	

H 850 mm



ART.					
M 22 A085 C0 10 93 04		50-75-100	100-96-92%	key	
M 22 A085 E2 10 93 04		50-75-100	100-96-92%	code	

H 850 mm



ART.					
M 22 A085 C0 10 94 04		50-75-100	100-96-92%	key	
M 22 A085 E2 10 94 04		50-75-100	100-96-92%	code	

H 850 mm



ART.					
M 22 A085 C0 10 95 04		50-75-100	100-96-92%	key	
M 22 A085 E2 10 95 04		50-75-100	100-96-92%	code	

H 850 mm



door 425 mm

depth 598 mm

ART.					
M 22 A085 C0 10 97 04		50-75-100	100-96-92%	key	
M 22 A085 T2 10 97 04		50-75-100	100-96-92%	code	

H 1000 mm



H 1000 mm



door 625 mm

depth 598 mm

ART.				
● M 22 A100 C0 10 AZ 04		50-75-100	100-96-92%	key
M 22 A100 E2 10 AZ 04		50-75-100	100-96-92%	code

ART.				
M 22 A100 C0 10 BD 04		50-75-100	100-96-92%	key
M 22 A100 T2 10 BD 04		50-75-100	100-96-92%	code



ART. M 22 A100 T2 16 BC 48

SEE PAGE 287

H 818 mm



ART.					
M 22 R060 S0 10 20 04		50-75-100	100-96-92%	key	
M 22 R060 P2 10 20 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 818 mm



5 drawers

ART.					
M 22 R060 S0 10 21 04		50-75-100	100-96-92%	key	
M 22 R060 P2 10 21 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 918 mm



ART.					
M 22 R070 S0 10 31 04		50-75-100	100-96-92%	key	
M 22 R070 P2 10 31 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 763

H 918 mm



ART.					
M 22 R070 S0 10 32 04		50-75-100	100-96-92%	key	
M 22 R070 P2 10 32 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed weels Ø 125 mm

H 1018 mm



ART.		kg			
M 22 R080 S0 10 54 04		50-75-100	100-96-92%	key	
M 22 R080 P2 10 54 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

H 1018 mm



ART.		kg			
M 22 R080 S0 10 56 04		50-75-100	100-96-92%	key	
M 22 R080 P2 10 56 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

H 1068 mm



ART.		kg			
M 22 R085 S0 10 93 04		50-75-100	100-96-92%	key	
M 22 R085 P2 10 93 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 913

H 1068 mm



ART.		kg			
M 22 R085 S0 10 94 04		50-75-100	100-96-92%	key	
M 22 R085 P2 10 94 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 913



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed weels Ø 125 mm

H 1218 mm



ART.					
M 22 R100 S0 10 AY 04		50-75-100	100-96-92%	key	
M 22 R100 P2 10 AY 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063

H 1218 mm



ART.					
M 22 R100 S0 10 AZ 04		50-75-100	100-96-92%	key	
M 22 R100 P2 10 AZ 04		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063



2 standard rubber swivel wheels with brake Ø 125 mm
2 standard rubber fixed wheels Ø 125 mm



ART. M ZA 0600 00 00 00 PA

SEE PAGE 287





ART. M 22 A100 T2 16 BC 48

SEE PAGE 287



ART. M 22 R070 P2 10 NE 1F

SEE PAGE 287

CONFIGURE YOUR CABINET

CHOOSE
a height

CHOOSE
a closure

CHOOSE
a colour

M22	A040	C5	10 00	01
-----	------	----	-------	----

CABINET EMPTY



Cabinet load
capacity 3100 kg

M22	HEIGHT	CLOSURE	10 00	COLOUR
	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock		01 RAL 7000
	A060 600 mm (working dim. 500 mm)	C5* no lock		02 RAL 6011
	A070 700 mm (working dim. 600 mm)	C0* KEY cylinder lock		1G RAL 3003
	A080 800 mm (working dim. 700 mm)	C1* KEY cylinder lock		1F RAL 9002
	A085 850 mm (working dim. 750 mm)	C2* KEY cylinder lock		48 RAL 5019
	A100 1000 mm (working dim. 900 mm)	E2* CODE numerical code		39 RAL 7016
	A150 1500 mm (working dim. 1400 mm)	T2* CODE numerical code		04 RAL 5012
	A200 2000 mm (working dim. 1900 mm)			08 RAL 7035
				35 RAL 9010
				34 RAL 5010

*COMPLETE WITH VERTEBRATE BAR



LOCKS SEE PAGE 31

CABINET EMPTY ready for wheels



WHEELS
SEE
PAGE 33

M22	HEIGHT	CLOSURE	10 00	COLOUR
	R060 663 mm (working dim. 500 mm)	S0 KEY cylinder lock		01 RAL 7000
	R070 763 mm (working dim. 600 mm)	S1 KEY cylinder lock		02 RAL 6011
	R080 863 mm (working dim. 700 mm)	S2 KEY cylinder lock		1G RAL 3003
	R085 913 mm (working dim. 750 mm)	P2 CODE numerical code		1F RAL 9002
	R100 1063 mm (working dim. 900 mm)	A1 CODE numerical code		48 RAL 5019
				39 RAL 7016
				04 RAL 5012
				08 RAL 7035
				35 RAL 9010
				34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT
Overall dim. mm 587x647



FLEXIBLE EXTRACTION DRAWERS

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 22 C050 0110 0F __	M 22 C050 0100 0F __	447x447x31 H	50	50 - 75 - 100	100% - 96% - 92%
M 22 C075 0110 0F __	M 22 C075 0100 0F __	447x447x56 H	75	50 - 75 - 100	100% - 96% - 92%
M 22 C100 0110 0F __	M 22 C100 0100 0F __	447x447x81 H	100	50 - 75 - 100	100% - 96% - 92%
M 22 C125 0110 0F __	M 22 C125 0100 0F __	447x447x106 H	125	50 - 75 - 100	100% - 96% - 92%
M 22 C150 0110 0F __	M 22 C150 0100 0F __	447x447x131 H	150	50 - 75 - 100	100% - 96% - 92%
M 22 C200 0110 0F __	M 22 C200 0100 0F __	447x447x181 H	200	50 - 75 - 100	100% - 96% - 92%
M 22 C250 0110 0F __	M 22 C250 0100 0F __	447x447x231 H	250	50 - 75 - 100	100% - 96% - 92%
M 22 C300 0110 0F __	M 22 C300 0100 0F __	447x447x281 H	300	50 - 75 - 100	100% - 96% - 92%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC EXTRACTION DRAWERS

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 22 C075 0110 0T __	M 22 C075 0100 0T __	447x447x56 H	75	200	100%
M 22 C100 0110 0T __	M 22 C100 0100 0T __	447x447x81 H	100	200	100%
M 22 C125 0110 0T __	M 22 C125 0100 0T __	447x447x106 H	125	200	100%
M 22 C150 0110 0T __	M 22 C150 0100 0T __	447x447x131 H	150	200	100%
M 22 C200 0110 0T __	M 22 C200 0100 0T __	447x447x181 H	200	200	100%
M 22 C250 0110 0T __	M 22 C250 0100 0T __	447x447x231 H	250	200	100%
M 22 C300 0110 0T __	M 22 C300 0100 0T __	447x447x281 H	300	200	100%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
 MEDITERRANEAN BLUE	M 20 PLS1 00 00 00 M1
 SKY BLUE	M 20 PLS1 00 00 00 M2
 GLAMOUR RED	M 20 PLS1 00 00 00 M3
 RED CARPET	M 20 PLS1 00 00 00 M4
 JUICY ORANGE	M 20 PLS1 00 00 00 M5
 SUNNY YELLOW	M 20 PLS1 00 00 00 M6
 FOREST GREEN	M 20 PLS1 00 00 00 M7



FLEXIBLE RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 22 C057 0110 0F _ _	M 22 C057 0100 0F _ _	447x447	70	50 - 75 - 100	100% - 96% - 92%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



TELESCOPIC RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 22 C057 0110 0T _ _	M 22 C057 0100 0T _ _	447x447	70	200	100%

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg
M 22 PR25 00 00 01 _ _	504x478	60	70

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
 MEDITERRANEAN BLUE	M 20 PLS1 00 00 00 M1
 SKY BLUE	M 20 PLS1 00 00 00 M2
 GLAMOUR RED	M 20 PLS1 00 00 00 M3
 RED CARPET	M 20 PLS1 00 00 00 M4
 JUICY ORANGE	M 20 PLS1 00 00 00 M5
 SUNNY YELLOW	M 20 PLS1 00 00 00 M6
 FOREST GREEN	M 20 PLS1 00 00 00 M7



ART. M 22 A150 C0 11 NA 50

SEE PAGE 287

DOORS WITH CYLINDER

FULL HEIGHT HINGED DOOR - REVERSIBLE



H CABINET MM	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	C0 KEY cylinder lock closure	M 20 P050 C0 10 00 _ _	M 20 P050 C0 00 00 _ _
	C1 KEY cylinder lock closure	M 20 P050 C1 10 00 _ _	M 20 P050 C1 00 00 _ _
	C2 KEY cylinder lock closure	M 20 P050 C2 10 00 _ _	M 20 P050 C2 00 00 _ _
700	C0 KEY cylinder lock closure	M 20 P060 C0 10 00 _ _	M 20 P060 C0 00 00 _ _
	C1 KEY cylinder lock closure	M 20 P060 C1 10 00 _ _	M 20 P060 C1 00 00 _ _
	C2 KEY cylinder lock closure	M 20 P060 C2 10 00 _ _	M 20 P060 C2 00 00 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE

THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)
OR **X0** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	C0 KEY cylinder lock closure	M 20 P042 C0 10 01 _ _	M 20 P042 C0 00 01 _ _
	C1 KEY cylinder lock closure	M 20 P042 C1 10 01 _ _	M 20 P042 C1 00 01 _ _
	C2 KEY cylinder lock closure	M 20 P042 C2 10 01 _ _	M 20 P042 C2 00 01 _ _
525	C0 KEY cylinder lock closure	M 20 P052 C0 10 01 _ _	M 20 P052 C0 00 01 _ _
	C1 KEY cylinder lock closure	M 20 P052 C1 10 01 _ _	M 20 P052 C1 00 01 _ _
	C2 KEY cylinder lock closure	M 20 P052 C2 10 01 _ _	M 20 P052 C2 00 01 _ _
625	C0 KEY cylinder lock closure	M 20 P062 C0 10 01 _ _	M 20 P062 C0 00 01 _ _
	C1 KEY cylinder lock closure	M 20 P062 C1 10 01 _ _	M 20 P062 C1 00 01 _ _
	C2 KEY cylinder lock closure	M 20 P062 C2 10 01 _ _	M 20 P062 C2 00 01 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE



LOCKS SEE
PAG. 31



DOORS WITH Numerical code

FULL HEIGHT HINGED DOORS - RIGHT-HAND OPENING ONLY



H CABINET MM	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	P5 CODE numerical code	M 20 P050 P5 10 00 _ _	M 20 P050 P5 00 00 _ _
700	P5 CODE numerical code	M 20 P060 P5 10 00 _ _	M 20 P060 P5 00 00 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)
OR **X0** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	A4 handle without keypad	M 20 P042 A4 10 01 _ _	M 20 P042 A4 00 01 _ _
525	A4 handle without keypad	M 20 P052 A4 10 01 _ _	M 20 P052 A4 00 01 _ _
625	A4 handle without keypad	M 20 P062 A4 10 01 _ _	M 20 P062 A4 00 01 _ _

*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS



LOCKS
SEE PAGE 31

REMOTE CONTROL



ART.	
M 00 VRC0 00 00 00 00	Receiver module with remote control
M 00 VRC0 00 00 01 00	Additional Remote Control

PLASTIC PARTS KIT FOR HINGED DOORS



PLASTIC COLOURS	ART. KEY	ART. CODE
MEDITERRANEAN BLUE	M 00 PLS0 00 00 20 M1	M 00 PLS0 00 00 21 M1
SKY BLUE	M 00 PLS0 00 00 20 M2	M 00 PLS0 00 00 21 M2
GLAMOUR RED	M 00 PLS0 00 00 20 M3	M 00 PLS0 00 00 21 M3
RED CARPET	M 00 PLS0 00 00 20 M4	M 00 PLS0 00 00 21 M4
JUICY ORANGE	M 00 PLS0 00 00 20 M5	M 00 PLS0 00 00 21 M5
SUNNY YELLOW	M 00 PLS0 00 00 20 M6	M 00 PLS0 00 00 21 M6
FOREST GREEN	M 00 PLS0 00 00 20 M7	M 00 PLS0 00 00 21 M7



3-EDGE TOP SHELF

ART.	dim. mm	
------	---------	--

M 22 T023 AG 00 31 07 561x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



4-EDGE TOP SHELF

ART.	dim. mm	
------	---------	--

M 22 T023 AG 00 41 07 561x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour

ART. M 00 T023 AG 00 F0 00

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



MULTIPLEX TOP SHELF

ART.	dim. mm	
------	---------	--

M 22 T040 MU 00 01 00 561x573x40 H

For SINGLE CABINET



MDF TOP SHELF DIM. 561x573x32 mm H

ART.	finishes	for cabinet	
------	----------	-------------	--

M 22 T030 MD GM 21 07 1 side profile RH or LH final

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 561x573x32 mm H

ART.	finishes	for cabinet	
------	----------	-------------	--

M 22 T030 MD GM 11 07 - central

MDF shelf with oil-proof top rubber coating. Black colour



MDF TOP SHELF DIM. 561x573x32 mm H

ART.	finishes	for cabinet	
------	----------	-------------	--

M 22 T030 MD GM 01 07 2 side profiles single

MDF shelf with oil-proof top rubber coating. Black colour



ART. M 00 T030 MD 00 F0 00

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING INCLUDING FIXING SCREWS



OIL-PROOF
RUBBER
FINISHING



MDF SHELF
APPLICATION



HEIGHT RAISING PLINTH 50 mm

ART.	dim. mm	
------	---------	--

M 22 Z050 00 00 00 559x572x50 H



HEIGHT RAISING PLINTH 100 mm

ART.	dim. mm	
------	---------	--

M 22 Z100 00 00 00 559x572x100 H