

**HELP YOUR COMPANY
BY PROTECTING
THE ENVIRONMENT**





ENVIRONMENT

ENVIRONMENT

SAFETY CABINETS FOR PAINTS, SOLVENTS, PESTICIDES AND FERTILIZERS

- With large ventilation vents and internal flame arrestor mesh
- Bottom spill tray for routine cleaning
- Perforated shelves to allow any liquids to drain
- Electrical continuity and external hazard stickers in accordance with relevant standards

H 2008 mm



- **ART. F AA 1620 01 30**
SAFETY CABINET FOR
PAINTS AND SOLVENTS

H 1008 mm




- **ART. F AA 1612 01 02**
SAFETY CABINET FOR
PESTICIDES AND FERTILIZERS

METAL
COLOURS



YELLOW
RAL 1004
.30



GREEN
RAL 6011
.02



CYLINDER LOCK (KEY)
SUPPLIED STANDARD WITH CYLINDER LOCK
AND TWO KEYS

KEY



SHELF
CAPACITY



CAPACITY
LITRES



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 2008 mm



ART.	kg	L	i	
F AA 1620 01 30	100	47	key	

COMPLIANT WITH ITALIAN OCCUPATIONAL HEALTH AND SAFETY
LEGISLATIVE DECREE 81/2008

4 adjustable perforated shelves ART. F AC 2530 01 99
bottom collecting tray

H 1008 mm



ART.	kg	L	i	
F AA 1610 01 30	100	47	key	

COMPLIANT WITH ITALIAN OCCUPATIONAL HEALTH AND SAFETY
LEGISLATIVE DECREE 81/2008

2 adjustable perforated shelves ART. F AC 2530 01 99
bottom collecting tray

H 2008 mm



ART.	kg	L	i	
F AA 1622 01 02	100	47	key	

IN COMPLIANCE WITH THE ITALIAN PRESIDENTIAL DECREE (DPR) 290/01

4 adjustable perforated shelves ART. F AC 2530 01 99
bottom collecting tray

H 1008 mm



ART.	kg	L	i	
F AA 1612 01 02	100	47	key	

IN COMPLIANCE WITH THE ITALIAN PRESIDENTIAL DECREE (DPR) 290/01

2 adjustable perforated shelves ART. F AC 2530 01 99
bottom collecting tray



ADJUSTABLE PERFORATED SHELF

ART. F AC 2530 01 99 - dim. mm 995x500x35 H
complete with 1 set with 4 hooks

OIL COLLECTION TANK

ART. F AC 7900 00 99 - dim. mm 958x527x99 H
tank capacity 47 litres

ENVIRONMENT

ENVIRONMENT- FRIENDLY DRUM AND TANK SUPPORTS

Ecological spill containment pallets compliant with current environmental protection legislation, such as that covering the safe management of situations at risk and the protection of the soil, ground and aquifers. To prevent accidental fluid spills in the event of leaks or failures, the removable grating on which the drums stand allows the contents to flow into the containment tank below. The bottom is shaped to allow handling using a forklift or pallet trolley. These spill containment pallets must be placed on flat, protected surfaces in the event of weather conditions which may interfere with their normal operation.

TANKS WITHOUT WALLS



ART.	dim.mm	amount of drums	L	
F ML 0810 00 54	960x960x332 H	1	200	
F ML 0820 00 54	1355x875x332 H	2	250	
F ML 0830 00 54	1355x1255x290 H	4	300	
F ML 0820 01 54	1355+1355x875x332 H	4	500	
F ML 0830 01 54	1355+1355x1255x290 H	8	600	

Ecological drum collection tray with zinc coated grill and support designed for transport with fork trucks

SPILL PALLET COMPLIANT WITH ITALIAN ENVIRONMENT LAW 152/2006

 54
GALVANISED + RAL5012

KEY



CAPACITY
LITRES



Ø WHEELS



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

DRUM PALLET TROLLEY



ART.	dim.mm	amount of drums	L	
F ML 0840 00 54	1425x875x1155 H	2	320	125 mm

With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake

 54
GALVANISED + RAL5012



ART.	dim.mm	amount of drums	L	
F ML 0840 01 54	1425x880x1155 H	1	320	125 mm

With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake
With support

 54
GALVANISED + RAL5012



ART.	dim.mm	amount of drums	L	
F AX 407000 2000 54	940x1010x1160 H	1	320	125 mm


With 2 fixed wheels and 2 swivel castors with Ø 125 mm standard rubber brake

 54
GALVANISED + RAL5012

CIRCULAR BASE FOR DRUMS

ART.	dim.mm
F AX 407001 0000 04	620x620

 04
RAL 5012



Circular base for 200 litre drums

ENVIRONMENT



ART.	dim.mm	
F ML 0850 12 04	1420x670x760 H	

Drum capacity 2x200 litres stackable,
for tank F ML 0830 00 54

 04
RAL 5012



ART.	dim.mm	
F ML 0850 13 04	1420x670x760 H	

Drum capacity 3x60 litres stackable,
for tank F ML 0830 00 54

 04
RAL 5012



ART.	dim.mm	
F ML 0860 02 04	1360x600x400 H	

Drum capacity 2x200 litres not stackable,
for tank F ML 0830 00 54

 04
RAL 5012



ART.	dim.mm	
F ML 0860 03 04	1360x600x400 H	

Drum capacity 3x60 litres not stackable,
for tank F ML 0830 00 54

 04
RAL 5012




ART.	dim.mm	
F ML 0860 01 04	880x600x400 H	

Drum capacity 1x200 litres not stackable,
for tank F ML 0820 00 54

 04
RAL 5012



Including:
1 ART. F ML 0830 00 54 RAL5012 + GALVANISED
1 ART. F ML 0850 12 04 RAL5012
1 ART. F ML 0850 13 04 RAL5012



STACKABLE SUPPORT FOR DRUMS

ART.	dim.mm	
F AX 409000 4000 99	1258x1050x340 H	

Galvanised finish
For tank F ML 0830 00 54,
stackable, suitable for forklift handling and palletising

STEEL SPILL CONTAINMENT PALLET FOR TANK

Spill containment pallet for 1000 litre containers. 100 mm above the ground, with forklift truck or pallet truck fork brackets.




ART.	dim.mm	amount of tanks	L	stand
F AX VDRHV0 0000 54	1350x1500x640 H	1	1000	-

 54
GALVANISED + RAL5012



ART.	dim.mm	amount of tanks	L	stand
F AX VDRG10 00V0 54	1350x1500x1100 H	1	1000	YES

 54
GALVANISED + RAL5012



ART.	dim.mm	amount of tanks	L	stand
F AX 402085 0000 54	2680x1350x400 H	2	1000	-

 54
GALVANISED + RAL5012

STAND



ART.	dim.mm
F AX VDRT10 00T0 04	1350x1256x485 H

TANK SUPPORT STAND WITHOUT GRILLE for:
F AX 402085 0000 54, F AX 402085 0A00 54,
F AX 402085 0ATA 54, F AX VDRHV0 0000 54

 04
RAL 5012

TANK



ART.	dim.mm
F AX PACK13 UN00 00	1200x1000x1147 H

Plastic tank with metal grille, capacity 1000 litre

**PRACTICAL
AND SAFE OIL
STORAGE CABINET**



MASTER FO

TECHNICAL SPECIFICATION

Designed for recovering and storing oil cans, our oil storage cabinets, complete with hinged doors, are a practical solution to organise liquids products.

The liquid collection tanks are designed to be watertight and resistant to corrosion in both the galvanised and the painted versions. Available in different configurations with telescopic extension shelves with 200 kg capacity or fixed, height adjustable shelves.



HINGED DOORS

Hinged doors are made of sturdy, specially shaped steel sheet, with a footprint depth of 25 mm. The 3-point closure ensures high security against break-ins. Available with cylinder locks with two keys.




OIL RECOVERY TANK

The collection tank is made of galvanised sheet steel with a 10/10 thickness and is watertight; it is used to collect any dripping at the end of oil drawing or in case of can breaks. It runs on "L" shaped guides fixed to the uprights on the sides of the cabinet.



EXTERNAL OIL TANK

The external oil safety tank has a capacity of 77 litres and it is watertight. It raises the cabinet off the floor by 150 mm and is the most complete, safest solution in case of oil can breaks and multiple oil leaks.



SHELVES

– Steel sheet shelves, total height 60 mm, adjustable in height in steps of 25 mm, capacity 150 kg.



– Telescopic retractable shelves, with a capacity of 200 kg, with an internal galvanised steel sheet surface with a drain to preserve the painted bottom.



MASTER FO



METAL COLOURS



GREY
RAL 7000
.01




GREEN
RAL 6011
.02



BLUE
RAL 5012
.04



GREY
RAL 7035
.08




GREY WHITE
RAL 9002
.1F



RUBY RED
RAL 3003
.1G



GENTIAN BLUE
RAL 5010
.34



PURE WHITE
RAL 9010
.35



ANTHRACITE GREY
RAL 7016
.39



BLUE CAPRI
RAL 5019
.48

H 1650 mm



• ART. M 33 A150 C0 30 SN 04

PLASTIC parts
colour range
(caps)



DARK GREY
.M0



KEY LOCK (KEY)

The cylinder closure "C0" is supplied as standard in cabinets. "C1" or "C2" versions on request. See Master section page 31



ART. F AG 9200 00 99

Pair of zinc-plated brackets for cabinet floor fixing

ART. F AG 9204 00 99

2 "HILTI" stud anchors suitable for non-cracked concrete floors $\geq$ class C20/25

Recommended anchor strength: 2.9 KN

Anchor diameter: $\varnothing$ 6 mm



THE CABINET WITH SAFETY TANK 77 LITRES ARE SUPPLIED WITH GROUND BRACKETS (ANCHORS NOT INCLUDED)

KEY



EXTENSIBLE
SHELF
CAPACITY



CABINET
CAPACITY
LITRES



CABINET
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 1500 mm



ART.					
M 33 A150 C0 30 RG 04		200	120	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 150 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.					
M 33 A150 C0 30 RH 04		200	150	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 150 litres
- Total capacity of safety tank for oil: 117 litres

H 1500 mm



ART.					
M 33 A150 C0 30 RK 04		200	120	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 8 plastic cans capacity 25 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.					
M 33 A150 C0 30 RL 04		200	200	key	

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 8 plastic cans capacity 25 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 200 litres
- Total capacity of safety tank for oil: 117 litres

H 1500 mm



ART.				
M 33 A150 C0 30 RM 04		200	120	key

Cabinet complete with:

- 3 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 10 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
M 33 A150 C0 30 SN 04		200	200	key

Cabinet complete with:

- 3 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 10 plastic cans capacity 10 litres,
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 200 litres
- Total capacity of safety tank for oil: 117 litres

H 1500 mm



ART.				
M 33 A150 C0 30 SP 04		200	120	key

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 height-adjustable shelf capacity 150 kg - depth 618 mm
- 1 retractable safety tank for oil capacity 40 litres
- Total useful capacity of the cabinet: 120 litres
- Capacity of safety tank for oil: 40 litres

H 1650 mm



ART.				
M 33 A150 C0 30 SQ 04		200	150	key

Cabinet complete with:

- 2 telescopic retractable shelves 100%,
- 4 plastic cans capacity 25 litres, 5 plastic cans capacity 10 litres,
- 1 height-adjustable shelf capacity 150 kg - depth 618 mm
- 1 retractable safety tank for oil capacity 40 litres, 1 safety tank for oil capacity 77 litres, 2 plugs for tank
- Total useful capacity of the cabinet: 150 litres
- Total capacity of safety tank for oil: 117 litres

